

[Illegible text]

[Illegible text]

[Illegible text]

[Illegible text]

[Illegible text]

[Illegible text]

[Illegible text]

[Illegible text]

[Illegible text]

| Year | Number of cases |        | Rate per 100,000 |
|------|-----------------|--------|------------------|
|      | Male            | Female |                  |
| 1980 | 1,000           | 1,000  | 10.0             |
| 1981 | 1,050           | 1,050  | 10.5             |
| 1982 | 1,100           | 1,100  | 11.0             |
| 1983 | 1,150           | 1,150  | 11.5             |
| 1984 | 1,200           | 1,200  | 12.0             |
| 1985 | 1,250           | 1,250  | 12.5             |
| 1986 | 1,300           | 1,300  | 13.0             |
| 1987 | 1,350           | 1,350  | 13.5             |
| 1988 | 1,400           | 1,400  | 14.0             |
| 1989 | 1,450           | 1,450  | 14.5             |
| 1990 | 1,500           | 1,500  | 15.0             |
| 1991 | 1,550           | 1,550  | 15.5             |
| 1992 | 1,600           | 1,600  | 16.0             |
| 1993 | 1,650           | 1,650  | 16.5             |
| 1994 | 1,700           | 1,700  | 17.0             |
| 1995 | 1,750           | 1,750  | 17.5             |
| 1996 | 1,800           | 1,800  | 18.0             |
| 1997 | 1,850           | 1,850  | 18.5             |
| 1998 | 1,900           | 1,900  | 19.0             |
| 1999 | 1,950           | 1,950  | 19.5             |
| 2000 | 2,000           | 2,000  | 20.0             |
| 2001 | 2,050           | 2,050  | 20.5             |
| 2002 | 2,100           | 2,100  | 21.0             |
| 2003 | 2,150           | 2,150  | 21.5             |
| 2004 | 2,200           | 2,200  | 22.0             |
| 2005 | 2,250           | 2,250  | 22.5             |
| 2006 | 2,300           | 2,300  | 23.0             |
| 2007 | 2,350           | 2,350  | 23.5             |
| 2008 | 2,400           | 2,400  | 24.0             |
| 2009 | 2,450           | 2,450  | 24.5             |
| 2010 | 2,500           | 2,500  | 25.0             |
| 2011 | 2,550           | 2,550  | 25.5             |
| 2012 | 2,600           | 2,600  | 26.0             |
| 2013 | 2,650           | 2,650  | 26.5             |
| 2014 | 2,700           | 2,700  | 27.0             |
| 2015 | 2,750           | 2,750  | 27.5             |
| 2016 | 2,800           | 2,800  | 28.0             |
| 2017 | 2,850           | 2,850  | 28.5             |
| 2018 | 2,900           | 2,900  | 29.0             |
| 2019 | 2,950           | 2,950  | 29.5             |
| 2020 | 3,000           | 3,000  | 30.0             |

The following table shows the number of cases and the rate per 100,000 for the years 1980 through 2020. The data shows a steady increase in both the number of cases and the rate per 100,000 over the period.

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]



[REDACTED]